

County of Orange SOCIAL SERVICES AGENCY

888 N. MAIN STREET SANTA ANA, CA 92701-3518 (714) 541-7700 INGRID HARITA DIRECTOR

MICHAEL L. RILEY, Ph.D. CHIEF DEPUTY DIRECTOR

MICHAEL L. RILEY, Ph.D. ACTING DIVISION DIRECTOR ADMINISTRATIVE SERVICES

REBECCA GUIDER
DIVISION DIRECTOR
ADULT SERVICES &
ASSISTANCE PROGRAMS

MIKE RYAN DIVISION DIRECTOR CHILDREN & FAMILY SERVICES

> PHYLLIS WATANABE DIVISION DIRECTOR FAMILY SELF-SUFFICIENCY

MAY 2 6 2009

May 22, 2009

Ramon Lopez, Chief Civil Rights Bureau Department of Social Services 744 P Street, MS 15-70 Sacramento, CA 95814

Dear Mr. Lopez

The information attached is Orange County Social Services Agency's response to the California Department of Social Services (CDSS) Civil Rights Bureau (CRB) final report dated March 24, 2009 which includes actions taken and planned. The report is a result of the review conducted August 11 – 15, 2008 that assessed Orange County Social Services Agency's compliance with CDSS Manual of Policies and Procedures (MPP) Division 21 Regulations and other applicable State and Federal civil rights laws.

Thank you for the opportunity to comment and we understand that our response may be distributed in accordance with the Public Records Act. If you have any questions or need additional information, please contact Patricia Figueredo, Civil Rights Coordinator at (714) 628-8668.

Sincerely,

Ingrid Harita

/ib

Attachment

cc:

Michael Riley, Chief Deputy Director David Kurtz, Senior Program Manager II Strategic Planning Patricia Figueredo, Civil Rights Coordinator

CDSS CRB Findings:	Corrective Action
Facility Location: 2330 Moulton Pkwy	Orange County Social Services Agency Response:
Parking:	
2 Van accessible identified spots, closest to building do not have van accessible signs. Said spaces shall have "Van-accessible" sign mounted below the symbol of accessibility. (CA T24 1129B.5, ADA 4.6.4) p133	Concur with findings and plan to take action to correct.
Route to Main Door:	Do not concur with findings as section, CA T
Right and left pathway ramps from van accessible parking spots are 47" wide instead of 48". Walks and sidewalks should subject to these regulations should have a continuous surface, not interrupted by steps or by abrupt changes in grade and shall be a minimum of 48" in width. (CA T 24 1133B.7.1) p160	24 1133B.7.1- Walks and Sidewalks, describes there is an exception reading as follows: "When, because of right of way restrictions, natural barriers or other existing conditions, the enforcing agency determines that compliance with the 48 inch clear sidewalk width would create an unreasonable hardship, the clear width may be reduced to 36 inches." SSA recently repaired this pathway and it is off by an inch as such the exception criterion is applicable since the suggested remedy would be cost prohibitive. Further, the walkway in question can be easily accessible and utilized by someone in a wheelchair or other device.
Facility Location: 115 Columbia, Aliso Viejo	Orange County Social Services Agency Response:
Parking:	
Sign height shall be at 80" minimum from bottom of sign to top of finish grade. Freestanding sign measured 75". (CA T24 1129B.5, ADA4.6.5) p.133	Concur corrective action will be taken to repair
Client Lobby:	SSA will evaluate existing instructional and directional signs in client areas to determine which signage would benefit from additional
Various informational and directional signs were not in threshold language. (Div. 21.107-212)	translation. Based on this evaluation, remediation will be addressed as budgetary constraints allow.

Facility Location: 1505 E Warner, Santa Ana

Parking:

A clearance access aisle on passenger side of van space is blocked by building structural column. One in every eight accessible spaces shall be served with 96" wide minimum placed opposite driver's side and be designated Van Accessible. (CA T24 1129B.4.2, ADA 4.1.2(5)(b)) p.135

Signage on pavement depicting a wheelchair with occupant needs to be repainted. (CA T24 1129B.5.1 & 2) p.133

Route to Main Door:

Two bushes need to be cut back from the building to eliminate obstruction of travel. Walkway minimum width is 48". (CA T 24 1133B.7.1)

Ramp leading to the front of building needs to have railings on each side. Railings were not available on left side going up the ramp. (CA T 24 1133B.5.5.1, ADA4.8.5)

Main or Alternate Entrance:

Need directional sign directing clients the main entrance from the furthest location in the parking lot structure. (CA T 24 1127B.3, ADA 4.1.3(16B), CA T 24 1117B.5.8.1.2) pp 183, 353

Force to open doors excessive at 11lbs.(left door) and 12lbs. (right door) they should be at 5lbs. maximum. (CA T 24 1133B.2.5, ADA 4.13.11(2)(a) & (b)) p. 195

Directional and Informational Signage:

Various Informational and directional signs

Orange County Social Services Agency Response:

Do not concur. The pathway is accessible, and to enhance it would be a financial hardship for Orange County.

Concur corrective action will be taken to repair

Concur corrective action will be taken to repair

Concur corrective action will be taken to repair

Do not concur, we feel that path of travel is indicated by blue stripping on ground.

Do not Concur as the door being referenced is a power assisted door.

SSA will evaluate existing instructional and directional signs in client areas to determine

were not in threshold language. (Div. 21.107-212)

which signage would benefit from additional translation. Based on this evaluation, remediation will be addressed as budgetary constraints allow.

Additionally it was pointed out at the time of review that our business operations at this facility do not create even a moderate client traffic flow, as it is our practice to go out to see the clients at their home or facility.

Concur, door pressure adjusted as required. Pressure will be routinely checked and

necessary adjustments made.

Concur, door pressure adjusted as required. Pressure will be routinely checked and necessary adjustments made.

Women's restroom:

Men's restroom:

Women's restroom door at 8 lbs. and should be at maximum 5lbs. (CA T 24 1133B.2.5, ADA 4.13.11(2)(a) & (b)) p. 195

Men's restroom door at 7 lbs, and should be at maximum 5lbs. (CA T 24 1133B.2.5,

ADA 4.13.11(2)(a) & (b)) p. 195

Facility Location: 1337 W Braden Court, Orange

Parking:

Free standing sign should be at 80" and it measured at 59". (CA T24 1129B.5, ADA4.6.5) p.133

Signage on pavement depicting a wheelchair with occupant needs to be repainted. (CA T24 1129B.5.1 & 2) p.133

Main or Alternate Entrance:

Accessible disabled signage sign on door needs to be replaced. (CA T24 1127B.3, ADA 4.1.3 (16B), CA T24 1117B.5.8.1.2) pp.183, 353

Force to open doors excessive, measured at 9lb. (on left door) and 10lbs. (on right door) both should be at maximum 5 lbs. (CA T 24 1133B.2.5, ADA 4.13.11(2)(a) & (b)) p. 195

Parent Conference force to open door measured 8lbs, should be at maximum 5 lbs. Orange County Social Services Agency Response:

Concur, and will ensure new facility location will make note of these findings and plan accordingly. The lease for the facility visited is scheduled to end 9/30/09 and SSA is evaluating relocation of the programs at this facility.

Division 21 Element: Dissemination of Information Corrective Action CDSS CRB Findings: Access to Services, Information and Outreach Upon request for emergency assistance of benefits applications are accepted until Extended hours to accommodate clients. 5:00PM. Applications for benefits are also Comments indicates applications made available and received until 5:00PM accepted until 3:00PM at Moulton, CHIP, and Columbia Ensuring the awareness of available Resources described are available equally for all of our offices. This includes and is not services for individual in remote areas. Comments indicate Moulton does not limited to resources described such as internet, brochures at health fairs, and other and all other offices provided internet, public venues brochures at health fairs, and other public venues Signage, posters, pamphlets Concur and completed 8/2008 immediately All offices had PUB 13 in threshold while Civil Rights analyst was present. languages, but not all 14 languages were available. SSA will evaluate existing instructional and Moulton, Warner, Braden Court and directional signs in client areas to determine CHIP- All signs not in threshold which signage would benefit from additional languages translation. Based on this evaluation, remediation will be addressed as budgetary constraints allow.

Division 21 Informational Element

CDSS Directional Signage:

CDSS Corrective Action Required:

Orange County shall ensure that instructional and directional signs are posted in waiting areas and other places that where such areas are frequented by a substantial number of non-English speaking clients, such signage shall be translated into appropriate languages.

Orange County Social Services Agency response:

SSA will evaluate existing instructional and directional signs in client areas to determine which signage would benefit from additional translation. Based on this evaluation, remediation will be addressed as budgetary constraints allow.

County of Orange Social Services Agency Corrective Action Plan (CA T 24 1133B.2.5, ADA 4.13.11(2)(a) & (b)) p. 195

Directional and informational Signage:

Numerous informational and directional signs not in threshold language. (Div. 21.107-212)

Men's restroom:

Men's restroom door at 7 lbs. and should be at maximum 5lbs. (CA T 24 1133B.2.5, ADA 4.13.11(2)(b)) p. 195

Toilet protector height is too high at 43.5" maximum height should be at 40". (CA-ACRM 1115B.9.1.2, ADA 4.19.6) p. 269

Toilet Tissue dispenser is 23" from the front edge of the toilet, it should be within 12" of the edge of the toilet.(CA-ACRM 1115B.9.3) pp. 275,269

Women's restroom:

Men's restroom door at 6 lbs. and should be at maximum 5lbs. (CA T 24 1133B.2.5, ADA 4.13.11(2)(b)) p. 195

Toilet protector height is too high at 43" maximum height should be at 40". (CA-ACRM 1115B.9.1.2, ADA 4.19.6) p. 269

Toilet Tissue dispenser is 19" from the front edge of the toilet, it should be within 12" of the edge of the toilet.(CA-ACRM 1115B.9.3) pp. 275,269

Facility Location: 6100 Chip Ave., Cypress

Parking:

Two free standing signs should be at 80" and it measured at 77". (CA T24 1129B.5, ADA4.6.5) p.133

Orange County Social Services Agency Response:

Concur, and will ensure new facility location will make note of these findings and plan accordingly. The lease for the facility visited is scheduled to end 9/30/09 and SSA is evaluating relocation of the programs at this facility.

Orange County Social Services Agency Response:

Concur and corrective action will be taken to repair.

Two existing parking spaces force persons with disabilities to go behind cars to reach the front entry contrary to regulation. (CA T24 1129B.4.3) (hardship exception, p. 136)

Concur. However our county would like to claim a financial hardship to address at this time.

Parking spots on the side of the building are not located as close as possible to entrance. (CA T 24 1129B.1.2, ADA4.3.2(1)) p. 131

Concur. However our county would like to claim a financial hardship to address at this time.

Directional and Informational Signage:

Numerous informational and directional signs not in threshold language. (Div. 21.107-212)

SSA will evaluate existing instructional and directional signs in client areas to determine which signage would benefit from additional translation. Based on this evaluation, remediation will be addressed as budgetary constraints allow.

Division 21 Element: Provisions for Services to Applicants and Recipients who are Non-English Speaking or who have Disabilities

Non English opening of this time beautiful	
Corrective Action	
Orange County Social Services Agency Response: Concur, SSA Administrative Policy and Procedure Civil Rights and Nondiscrimination will be revised to include documentation requirements in CalWIN automated systems.	
Orange County Social Services Agency Response: Concur, reminder was provided at CalWORKs and Food Stamp Program Meetings. ACL 08-65 (December 31, 2008) was reviewed which had minor interpreter as an item discussed.	
Orange County Social Services Agency Response:	

o QR 377.4, DFA 377.5, TEMP Concur, reminder will be provided at CalWORKs, Medi-CAL and Food Stamp NA 1232, QR 377.1 AND QR2. Program Meetings. CHIP was not consistently using: o QR2, QR377.1, TEMP2215, CW2.1, M40-17 Programs: CalWORKs and Food Stamps Div. 21-115.2 Orange County Social Services Agency Written Materials: Orange County must use Response: and provide translated notice of action forms, in the clients' primary language when Concur, reminder will be provided at translated by CDSS. CalWORKs, Medi-CAL and Food Stamp Program Meetings. Programs: CalWORKs and Food Stamps

Div. 21-115.2

Division 21 Element: Documentation of Applicant/Recipient Case Records	
CDSS CRB Findings	Corrective Action
No consistent documentation of the method used to provide bilingual services.	Orange County Social Services Agency Response:
Programs: CFS, CalWORKs/Public Assistance Food Stamps (PAFS)	Concur, reminder was provided at Program Meetings. ACL 08-65 (December 31, 2008)
Div. 21-116.22	was reviewed which had minor interpreter as an item discussed.
Documentation if clients provide their own interpreter.	Orange County Social Services Agency Response:
Programs: CFS –Moulton, CalWORKS, and Food Stamps	Concur, reminder was provided at Program Meetings. ACL 08-65 (December 31, 2008) was reviewed which had minor interpreter as
Div. 21-116.23	an item discussed.
Division 21 Staff Development and Training	
CDSS CRB Findings	Corrective Action
None required	N/A